

# Immunological Memory and Aging: A Mini Review

Kato Jumba K.

Faculty of Science and Technology Kampala International University Uganda

## ABSTRACT

Immunological memory is a critical feature of the adaptive immune system that enables a rapid and robust response upon re-exposure to previously encountered pathogens. However, aging significantly affects both innate and adaptive immunity, impairing the development and maintenance of immunological memory. This review explores the intricate relationship between aging and immunological memory, focusing on changes in T cell and B cell responses, alterations in cytokine profiles, and the implications for vaccine efficacy in older populations. The mechanisms underlying immune senescence, including thymic involution, decreased cytokine signaling, and the accumulation of senescent immune cells, contribute to the decline in immune function. Furthermore, we discuss how these age-related changes can lead to increased susceptibility to infections and reduced vaccine responsiveness. Potential strategies to enhance immune memory in the elderly, such as targeted immunotherapies, novel vaccination approaches, and lifestyle interventions, are also examined. Understanding these dynamics is crucial for developing effective interventions to improve immune function in aging populations, ultimately extending healthy lifespan and enhancing the quality of life for older individuals.

**Keywords:** Immunological memory, Aging, T cells, B cells, Immune senescence, Vaccine efficacy

## INTRODUCTION

Immunological memory is a hallmark of the adaptive immune system, allowing for a quicker and more efficient response upon subsequent encounters with previously recognized pathogens [1]. This adaptive mechanism is primarily facilitated by memory T cells and memory B cells, which persist long after the initial infection, enabling the immune system to mount a robust defense against reinfection. However, as individuals age, the efficiency of immunological memory diminishes, leading to increased vulnerability to infections, reduced vaccine efficacy, and a higher incidence of autoimmune diseases [2]. Aging affects both the innate and adaptive immune systems, a phenomenon often referred to as immunosenescence. Key changes include a decline in the production of new T cells due to thymic involution, alterations in cytokine production, and an increase in the number of

senescent immune cells. These changes impact the functionality of both T and B cells, resulting in a reduced capacity to generate high-affinity antibodies and an impaired ability to eliminate infected or malignant cells [3].

The decline in immunological memory has significant implications for public health, particularly in older adults who are more susceptible to infectious diseases such as influenza and COVID-19 [4]. Furthermore, this diminished immune response poses challenges in vaccine development and efficacy, as standard vaccination strategies may not yield optimal protective responses in older populations. Understanding the mechanisms underlying these age-related changes is critical for developing interventions aimed at enhancing immune function in the elderly. By exploring the intersection of immunological memory and aging,

<https://www.inosr.net/inosr-experimental-sciences/>  
this review seeks to provide insights into the challenges and opportunities for improving immune health in aging populations.

## **2. Mechanisms of Immunological Memory**

### **2.1 T Cell Memory**

T cell memory is established when naive T cells differentiate into effector and memory cells upon encountering antigens. The two main subsets of memory T cells are central memory T cells (T<sub>cm</sub>), which circulate in lymphoid organs and rapidly proliferate upon reactivation, and effector memory T cells (T<sub>em</sub>), which migrate to peripheral tissues to provide immediate protection [5]. Aging impacts T cell memory formation and function through several mechanisms:

- a) **Thymic Involution:** The thymus, where T cells mature, shrinks significantly with age, reducing the production of naive T cells [6]. This decline restricts the diversity of the T cell repertoire, limiting the adaptive immune system's ability to respond to new pathogens and impairing the generation of effective memory responses.
- b) **Altered Cytokine Environment:** Aging is associated with shifts in cytokine signaling, which can impair T cell activation and differentiation. For instance, lower levels of interleukin-7 (IL-7), essential for memory T cell maintenance, reduce survival rates among memory T cells in older adults [7].
- c) **Increased Cellular Senescence:** Aging leads to an accumulation of senescent T cells, which show shortened telomeres and express markers of cellular aging [8]. These senescent T cells have diminished functionality and responsiveness, reducing the ability to mount strong, rapid responses upon subsequent exposure to pathogens.

### **2.2 B Cell Memory**

B cells play a crucial role in the immune system by producing antibodies and forming memory B cells. However, the aging process adversely affects B cell memory through several mechanisms:

- a) **Reduced Germinal Center Formation:** Aging is associated with impaired germinal center reactions, which are essential for the differentiation of B cells and the production of high-affinity antibodies [9]. This

Kato

impairment leads to a reduced pool of high-affinity memory B cells, hampering the ability to mount effective antibody responses upon re-exposure to pathogens.

- b) **Altered Antibody Production:** In older adults, there is often a decline in the quantity and quality of antibody production. This is characterized by lower levels of specific antibodies and a diminished ability for affinity maturation, resulting in less effective neutralization of pathogens.
- c) **Autoimmunity and Chronic Inflammation:** Aging is linked to increased chronic inflammation, which can disrupt normal B cell functions and contribute to the development of autoimmune diseases [10]. This chronic inflammatory environment may promote the expansion of autoreactive B cells, further compromising overall immune responses and leading to inappropriate or exaggerated reactions against self-antigens. Such changes underscore the complexities of maintaining effective B cell memory in the context of aging.

## **3. Impact of Aging on Immunological Memory and Vaccine Efficacy**

Aging significantly affects immunological memory and vaccine efficacy, leading to suboptimal immune responses in older adults [11]. Research indicates that this demographic often demonstrates reduced responsiveness to vaccines, resulting in lower antibody titers and less protection against infectious diseases. Several factors contribute to this phenomenon:

- a) **Impaired Memory Response:** The age-related decline in both T and B cell memory responses hinders adequate antibody production following vaccination [12]. This impairment compromises the overall immune response and decreases the effectiveness of vaccines.
- b) **Altered Immune Landscape:** Aging is associated with the accumulation of senescent immune cells and an increase in pro-inflammatory cytokines [13]. This altered immune environment can create

challenges for effective vaccine responses, as chronic inflammation may disrupt normal immune signaling pathways.

- c) Comorbidities: The presence of chronic health conditions, such as diabetes or cardiovascular diseases, in older adults can further complicate the immune response to vaccines [14]. These comorbidities may necessitate tailored vaccination strategies to ensure optimal protection.

To address these challenges, ongoing research focuses on developing adjuvants and novel vaccination strategies that enhance immune responses in older populations. For example, modifying vaccine formulations to include specific adjuvants designed to stimulate innate immune responses may significantly improve vaccine efficacy and ensure better protection against infectious diseases among older adults [15].

#### **4. Strategies to Enhance Immunological Memory in the Elderly**

Efforts to improve immunological memory in the elderly are becoming increasingly important, as they face heightened vulnerability to infections and a diminished immune response. Several strategies are being explored:

##### **4.1 Immunotherapies**

- a) Immunotherapeutic approaches aimed at rejuvenating the aging immune system are gaining traction. Key strategies include:
- b) Cytokine Therapy: Administering cytokines such as interleukin-7 (IL-7) or interleukin-15 (IL-15) can potentially enhance T cell survival and proliferation, thereby improving immune responses in older adults [16].
- c) Targeted T Cell Therapies: Therapies designed to eliminate or rejuvenate

senescent T cells may help restore a more functional T cell repertoire, enhancing immune memory and responsiveness [17, 18].

##### **4.2 Novel Vaccination Approaches**

- a) Personalized Vaccination Strategies: Tailoring vaccination protocols based on individual immunological profiles can enhance vaccine responsiveness in older adults, ensuring that each individual receives the most effective immunization regimen [19, 20, 21].
- b) Use of mRNA Vaccines: The emergence of mRNA vaccines has shown promise in eliciting robust immune responses, making them particularly effective for older populations [22, 23, 24]. Their ability to induce strong T and B cell responses may help overcome age-related immunological challenges.

##### **4.3 Lifestyle Interventions**

- a) Nutrition and Exercise: Maintaining a balanced diet rich in essential nutrients and engaging in regular physical activity can positively influence immune function, potentially mitigating the effects of aging on immunological memory.
- b) Stress Management: Implementing stress reduction techniques, such as mindfulness and relaxation practices, can support overall immune health, contributing to improved immune responses in older adults [25]. Together, these strategies offer a comprehensive approach to enhancing immunological memory in the elderly, promoting healthier aging and better disease resistance.

#### **CONCLUSION**

Aging significantly impacts immunological memory, resulting in reduced effectiveness of the adaptive immune response. Understanding the mechanisms underlying these changes is crucial for developing strategies to enhance immune function in older adults. By exploring novel immunotherapeutic approaches, optimizing vaccination strategies, and promoting healthy lifestyle interventions, it is

possible to improve immune memory and increase the resilience of the elderly population against infectious diseases. Future research should continue to focus on the intricate relationship between aging and immunity, with the ultimate goal of extending healthy lifespan and enhancing the quality of life for older individuals.

## REFERENCES

1. Netea MG, Schlitzer A, Placek K, Joosten LAB, Schultze JL. Innate and Adaptive Immune Memory: An evolutionary Continuum in the Host's Response to Pathogens. *Cell Host Microbe*. 2019 Jan 9;25(1):13-26. doi: 10.1016/j.chom.2018.12.006. PMID: 30629914.
2. Aiello A, Farzaneh F, Candore G, Caruso C, Davinelli S, Gambino CM, Ligotti ME, Zareian N, Accardi G. Immunosenescence and Its Hallmarks: How to Oppose Aging Strategically? A Review of Potential Options for Therapeutic Intervention. *Front Immunol*. 2019 Sep 25; 10:2247. doi: 10.3389/fimmu.2019.02247. PMID: 31608061; PMCID: PMC6773825.
3. Wishnie AJ, Chwat-Edelstein T, Attaway M, Vuong BQ. BCR Affinity Influences T-B Interactions and B Cell Development in Secondary Lymphoid Organs. *Front Immunol*. 2021 Jul 26; 12:703918. doi: 10.3389/fimmu.2021.703918. PMID: 34381455; PMCID: PMC8350505.
4. Cox LS, Bellantuono I, Lord JM, Sapey E, Mannick JB, Partridge L, Gordon AL, Steves CJ, Witham MD. Tackling immunosenescence to improve COVID-19 outcomes and vaccine response in older adults. *Lancet Healthy Longev*. 2020 Nov;1(2): e55-e57. doi: 10.1016/S2666-7568(20)30011-8. Epub 2020 Nov 9. PMID: 33521768; PMCID: PMC7834195.
5. Sallusto F, Geginat J, Lanzavecchia A. Central memory and effector memory T cell subsets: function, generation, and maintenance. *Annu Rev Immunol*. 2004; 22:745-63. doi: 10.1146/annurev.immunol.22.012703.104702. PMID: 15032595.
6. Liang Z, Dong X, Zhang Z, Zhang Q, Zhao Y. Age-related thymic involution: Mechanisms and functional impact. *Aging Cell*. 2022 Aug;21(8): e13671. doi: 10.1111/ace1.13671. Epub 2022 Jul 12. PMID: 35822239; PMCID: PMC9381902.
7. Park HJ, Shin MS, Kim M, Bilsborrow JB, Mohanty S, Montgomery RR, Shaw AC, You S, Kang I. Transcriptomic analysis of human IL-7 receptor alpha<sup>low</sup> and alpha<sup>high</sup> effector memory CD8<sup>+</sup> T cells reveal an age-associated signature linked to influenza vaccine response in older adults. *Aging Cell*. 2019 Aug;18(4): e12960. doi: 10.1111/ace1.12960. Epub 2019 May 1. PMID: 31044512; PMCID: PMC6612637.
8. Soto-Herederó G, Gómez de Las Heras MM, Escrig-Larena JI, Mittelbrunn M. Extremely Differentiated T Cell Subsets Contribute to Tissue Deterioration During Aging. *Annu Rev Immunol*. 2023 Apr 26; 41:181-205. doi: 10.1146/annurev-immunol-101721-064501. PMID: 37126417.
9. Lee JL, Fra-Bido SC, Burton AR, Innocentin S, Hill DL, Linterman MA. B cell-intrinsic changes with age do not impact antibody-secreting cell formation but delay B cell participation in the germinal centre reaction. *Aging Cell*. 2022 Sep;21(9):e13692. doi: 10.1111/ace1.13692. Epub 2022 Aug 18. PMID: 35980826; PMCID: PMC9470890.
10. de Mol J, Kuiper J, Tsiantoulas D, Foks AC. The Dynamics of B Cell Aging in Health and Disease. *Front Immunol*. 2021 Oct 5; 12:733566. doi: 10.3389/fimmu.2021.733566. PMID: 34675924; PMCID: PMC8524000.
11. Gustafson CE, Kim C, Weyand CM, Goronzy JJ. Influence of immune aging on vaccine responses. *J Allergy Clin Immunol*. 2020 May;145(5):1309-1321. doi: 10.1016/j.jaci.2020.03.017. PMID: 32386655; PMCID: PMC7198995.
12. Frasca D, Diaz A, Romero M, Blomberg BB. The generation of memory B cells is maintained, but the antibody response is not, in the elderly after repeated influenza immunizations. *Vaccine*. 2016 May 27;34(25):2834-40. doi: 10.1016/j.vaccine.2016.04.023. Epub 2016

- Apr 20. PMID: 27108193; PMCID: PMC4876633.
13. Rea IM, Gibson DS, McGilligan V, McNerlan SE, Alexander HD, Ross OA. Age and Age-Related Diseases: Role of Inflammation Triggers and Cytokines. *Front Immunol.* 2018 Apr 9;9:586. doi: 10.3389/fimmu.2018.00586. PMID: 29686666; PMCID: PMC5900450.
14. Kwetkat A, Heppner HJ. Comorbidities in the Elderly and Their Possible Influence on Vaccine Response. *Interdiscip Top GerontolGeriatr.* 2020; 43:73-85. doi: 10.1159/000504491. Epub 2020 Apr 9. PMID: 32305984.
15. Pashine A, Valiante NM, Ulmer JB. Targeting the innate immune response with improved vaccine adjuvants. *Nat Med.* 2005 Apr;11(4 Suppl): S63-8. doi: 10.1038/nm1210. PMID: 15812492.
16. Singh V, Gowthaman U, Jain S, Parihar P, Banskar S, Gupta P, Gupta UD, Agrewala JN. Coadministration of interleukins 7 and 15 with bacille Calmette-Guérin mounts enduring T cell memory response against *Mycobacterium tuberculosis*. *J Infect Dis.* 2010 Aug 15;202(3):480-9. doi: 10.1086/653827. PMID: 20569158.
17. Kawai Y, Kawana-Tachikawa A, Kitayama S, Ueda T, Miki S, Watanabe A, Kaneko S. Generation of highly proliferative, rejuvenated cytotoxic T cell clones through pluripotency reprogramming for adoptive immunotherapy. *MolTher.* 2021 Oct 6;29(10):3027-3041. doi: 10.1016/j.ymthe.2021.05.016. Epub 2021 May 21. PMID: 34023508; PMCID: PMC8530944.
18. Levite M. T Cells Plead for Rejuvenation and Amplification; With the Brain's Neurotransmitters and Neuropeptides We Can Make It Happen. *Front Immunol.* 2021 Mar 22; 12:617658. doi: 10.3389/fimmu.2021.617658. PMID: 33868232; PMCID: PMC8044969.
19. Pereira B, Xu XN, Akbar AN. Targeting Inflammation and Immunosenescence to Improve Vaccine Responses in the Elderly. *Front Immunol.* 2020 Oct 14; 11:583019. doi: 10.3389/fimmu.2020.583019. PMID: 33178213; PMCID: PMC7592394.
20. Cowling BJ, Perera RAPM, Valkenburg SA, Leung NHL, Iuliano AD, Tam YH, Wong JHF, Fang VJ, Li APY, So HC, Ip DKM, Azziz-Baumgartner E, Fry AM, Levine MZ, Gangappa S, Sambhara S, Barr IG, Skowronski DM, Peiris JSM, Thompson MG. Comparative Immunogenicity of Several Enhanced Influenza Vaccine Options for Older Adults: A Randomized, Controlled Trial. *Clin Infect Dis.* 2020 Oct 23;71(7):1704-1714. doi: 10.1093/cid/ciz1034. PMID: 31828291; PMCID: PMC7289658.
21. Wilkinson K, Wei Y, Szwajcer A, Rabbani R, Zarychanski R, Abou-Setta AM, Mahmud SM. Efficacy and safety of high-dose influenza vaccine in elderly adults: A systematic review and meta-analysis. *Vaccine.* 2017 May 15;35(21):2775-2780. doi: 10.1016/j.vaccine.2017.03.092. Epub 2017 Apr 18. PMID: 28431815.
22. Nanishi E, Levy O, Ozonoff A. Waning effectiveness of SARS-CoV-2 mRNA vaccines in older adults: a rapid review. *Hum VaccinImmunother.* 2022 Nov 30;18(5):2045857. doi: 10.1080/21645515.2022.2045857. Epub 2022 Mar 3. PMID: 35240940; PMCID: PMC9196671.
23. Li Z, Liu S, Li F, Li Y, Li Y, Peng P, Li S, He L, Liu T. Efficacy, immunogenicity and safety of COVID-19 vaccines in older adults: a systematic review and meta-analysis. *Front Immunol.* 2022 Sep 13;13:965971. doi: 10.3389/fimmu.2022.965971. PMID: 36177017; PMCID: PMC9513208.
24. Aliprantis AO, Shaw CA, Griffin P, Farinola N, Railkar RA, Cao X, Liu W, Sachs JR, Swenson CJ, Lee H, Cox KS, Spellman DS, Winstead CJ, Smolenov I, Lai E, Zaks T, Espeseth AS, Panther L. A phase 1, randomized, placebo-controlled study to evaluate the safety and immunogenicity of an mRNA-based RSV prefusion F protein vaccine in healthy younger and older adults. *Hum VaccinImmunother.* 2021 May

<https://www.inosr.net/inosr-experimental-sciences/>  
4;17(5):1248-1261.doi:  
10.1080/21645515.2020.1829899. Epub  
2020 Oct 29. PMID: 33121346; PMCID:  
PMC8078688.

25. Lindsay EK, Marsland AL, Cole SW,  
Dutcher JM, Greco CM, Wright AGC,  
Brown KW, Creswell JD. Mindfulness-  
Based Stress Reduction Reduces

Kato  
Proinflammatory Gene Regulation but Not  
Systemic Inflammation Among Older  
Adults: A Randomized Controlled Trial.  
Psychosom Med. 2024 Jun 1;86(5):463-472.  
doi: 10.1097/PSY.0000000000001264.  
Epub 2023 Nov 17. PMID: 37982547;  
PMCID:PMC11098967.

**CITE AS: Kato Jumba K. (2024). Immunological Memory and Aging: A Mini Review. INOSR Experimental Sciences 14(2):23-28. <https://doi.org/10.59298/INOSRES/2024/142.232800>**